

ASSIGNED

AMENDED

Serial No. 56294

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office. MAY 14 1991

Returned to applicant for correction. JUN 19 1991

Corrected application filed. JUL 12 1991 Map filed JUL 12 1991

The applicant. Adam and Anet Sewell
P.O. Box 2222 of Gardnerville
Nevada, 89410

State and Zip Code No. hereby make application for permission to change the
Point of Diversion, Manner of Use and Place of Use of a portion
of water heretofore appropriated under Permit 31119 Certificate 10013
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identify right in Decree.

- The source of water is. Underground
Name of stream, lake, underground spring or other source.
- The amount of water to be changed. 2.02 Acre Feet 0.0104 cfs.
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
- The water to be used for. Quasi-Municipal
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water heretofore permitted for. Irrigation
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water is to be diverted at the following point. Within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 18, T.12N., R.21E.,
Describe as being within a 40-acre subdivision of public survey and by course and
M.D.M. At a Point from which the SW Corner of Said Section 18 bears S 36 $^{\circ}$ 41'
distance to a section corner. If on unsurveyed land, it should be stated.
20" W, 124.70 feet distant
- The existing permitted point of diversion is located within. the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 33, T.13N.,
If point of diversion is not changed, do not answer.
R.21E., M.D.M. At a Point from which the North $\frac{1}{4}$ Corner of Said Section 33
bears N 51 $^{\circ}$ 19' 45" E, 1653.00 feet distant
- Proposed place of use. NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 18, T.12N., R.21E., M.D.M.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
- Existing place of use. N $\frac{1}{2}$ of the NW $\frac{1}{4}$ of Section 33, T.13N., R.21E., M.D.M.
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
Removing 0.51 Acres within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ from irrigation
manner of use of irrigation permit, describe acreage to be removed from irrigation.
- Use will be from. 1-01 to 12-31 of each year.
Month and Day Month and Day
- Use was permitted from. 1-01 to 12-31 of each year.
Month and Day Month and Day
- Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Existing Well, 8" Water Line and Storage
State manner in which water is to be diverted, i.e. diversion structure.
Tank
ditches, pipes and flumes, or drilled well, etc.
- Estimated cost of works.
- Estimated time required to construct works. Existing Douglas County Well

14. Estimated time required to complete the application of water to beneficial use.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

.....

By s/Paul Dean Higginbotham
P.O. Box 425
Gardnerville, NV 89410

Compared bc/bc ap/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 31119, Certificate 10013 is issued subject to the terms and conditions imposed in said Permit 31119, Certificate 10013 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is expressly issued for the purpose of providing water for parcel 23-160-37. The place of use must remain with this parcel.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.0104 cubic feet per second, but not to exceed 2.02 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....April 13, 1993

Proof of completion of work shall be filed before.....May 13, 1993

Application of water to beneficial use shall be made on or before.....April 13, 1996

Proof of the application of water to beneficial use shall be filed on or before.....May 13, 1996

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....JUL 8 - 1993

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this.....13th day of.....November

A.D. 19.....92

[Signature]
 State Engineer

RELINQUISHED BY APPLICANT SEP 25 1997